

[Company Name]

Accessibility Conformance Report (ACR)

International Edition (INT)

Based on VPAT® Version 2.5Rev (April 2025) — Customized Template

Note: This document is based on the VPAT® 2.5Rev template published by the Information Technology Industry Council (ITI), with structural and instructional adaptations by A11ySolutions for internal and client use. It does not represent the official unmodified VPAT® template.

Product Information

Product Name	
Product Version	
Product Description	
Report Date	
Report Version	1.0
Last Modified	
Evaluation Methods Used	Manual testing with assistive technologies (NVDA, JAWS, VoiceOver), keyboard-only navigation, and automated scanning with axe-core. Testing performed on [browsers/OS].

Vendor and Contact Information

Company / Organization	
Address	
Website	
Contact Name	
Contact Email	
Contact Phone	
Notes	

Applicable Standards / Guidelines

This report covers the degree of conformance for the following accessibility standards/guidelines:

Standard / Guideline	Included Sections
Web Content Accessibility Guidelines 2.1 (W3C/WAI, June 2018)	Table 1: Success Criteria, Level A Table 2: Success Criteria, Level AA Table 3: Success Criteria, Level AAA (optional)
Web Content Accessibility Guidelines 2.2 (W3C/WAI, October 2023)	New criteria incorporated in Tables 1, 2, and 3 above
Revised Section 508 Standards (U.S. Access Board, January 2017)	Chapter 3: Functional Performance Criteria Chapter 4: Hardware Chapter 5: Software Chapter 6: Support Documentation and Services
EN 301 549 Accessibility Requirements (ETSI, March 2021 v3.2.1)	Chapter 4: 4.2 Functional Performance Statements Chapter 5: Generic Requirements Chapter 6: ICT with Two-Way Voice Communication Chapter 7: ICT with Video Capabilities Chapter 11: Software Chapter 12: Documentation and Support Services Chapter 13: ICT Providing Relay or Emergency Service Access

Terms and Definitions

The following definitions are used throughout this report to describe the level of accessibility support for each criterion. These definitions are aligned with the VPAT® 2.5Rev framework published by the Information Technology Industry Council (ITI).

Conformance Level	Definition
Supports	The product fully meets the criterion without known exceptions. Only use this after confirming through actual testing.
Partially Supports	Some functionality meets the criterion, but there are known exceptions. Describe the exception in Remarks and, where possible, note a remediation timeline.
Does Not Support	The functionality does not meet the criterion. Testing confirms a clear failure. Document this honestly — it is legally protective; claiming "Supports" when the product fails creates greater liability.
Not Applicable	The criterion does not apply to this product type (e.g., "Captions (Prerecorded)" for a product with no video). Document your reasoning in Remarks.
Not Evaluated	The product has not been evaluated against the criterion. This designator may ONLY be used for Level AAA criteria.

Important Notes on Accuracy

- This report must be completed based on actual accessibility testing, not assumptions.
- Testing should include automated scanning (e.g., axe, WAVE) AND manual review with assistive technologies such as NVDA, JAWS, and VoiceOver.
- An incomplete or inaccurate VPAT can create legal liability. If a criterion has not been tested, use "Not Evaluated" (for AAA only) or leave blank with a note.
- This report does not constitute a warranty or guarantee of accessibility compliance.
- Products evolve. VPATs should be reviewed and updated with each major product release or at least annually. Reports older than two years are generally regarded as outdated by procurement evaluators.

Quick Reference: Common Failure Patterns

Appendix A — A11ySolutions Testing Reference (Non-standard VPAT content)

Criterion	Common Failure Pattern	What Evaluators Look For
1.1.1 Non-text Content	Missing, empty, or meaningless alt text on images	Every meaningful image has descriptive alt. Decorative images have empty alt="". Charts have text alternatives.
1.3.1 Info and Relationships	Visual structure not conveyed programmatically	Tables use proper markup. Form fields are labeled. Landmarks are used. ARIA roles are correct.
1.4.3 Contrast (Minimum)	Insufficient text/background contrast ratio	Normal text $\geq 4.5:1$, large text $\geq 3:1$. Test all color combinations including hover/focus states.
2.1.1 Keyboard	Custom components not operable by keyboard	Every feature achievable by mouse works with keyboard only. No keyboard traps.
2.4.3 Focus Order	Tab order doesn't match visual layout	Focus moves in logical sequence. No focus jumps unexpectedly. Modal dialogs trap focus correctly.
2.4.7 Focus Visible	Focus indicator removed by CSS	Every interactive element shows clear focus indicator. Not just the browser default.
3.3.1 Error Identification	Form errors not identified or described	Errors are announced to screen readers. Error message describes what went wrong and how to fix it.
4.1.2 Name, Role, Value	Custom components lack ARIA attributes	All UI components have accessible name, role, and state. Screen reader announces correct semantics.

Quick Reference: Recommended Assistive Technology Testing

Appendix B — A11ySolutions Testing Reference (Non-standard VPAT content)

Assistive Technology	Platform / Browser	Why Include It
NVDA (free)	Windows / Chrome or Firefox	Most common screen reader among users. Required for Section 508 credibility.
JAWS	Windows / Chrome or Edge	Used heavily in enterprise environments. Expected in U.S. federal procurement.
VoiceOver	macOS / Safari	Built-in Apple screen reader. Required for EN 301 549 credibility.
VoiceOver + TalkBack	iOS / Safari, Android / Chrome	Required if product has a mobile web version or native app.
Keyboard only	All platforms / All browsers	Simplest test: can every task be completed without a mouse?
200% browser zoom	All platforms	Tests Reflow (1.4.10) and Resize Text (1.4.4).
axe DevTools or WAVE	Chrome extension	Automated scanning to supplement manual testing. Not a replacement.

Legal Disclaimer

"Voluntary Product Accessibility Template" and "VPAT" are registered service marks of the Information Technology Industry Council (ITI). Use of the VPAT® template does not imply endorsement by ITI. This Accessibility Conformance Report (ACR) is provided for informational purposes only. The organization completing this report is solely responsible for the accuracy of the information contained herein. This Accessibility Conformance Report reflects the state of the product at the time of evaluation. Accessibility may vary depending on product configuration, content, and integrations.

Section 1: WCAG 2.x Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 — Web, Chapter 10 — Non-Web Documents, and Chapter 11 — Software
- Revised Section 508: Chapter 5 — Software and Chapter 6 — Support Documentation

Note: When reporting on conformance with WCAG 2.x Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the WCAG 2.0 Conformance Requirements.

Table 1: Success Criteria — Level A

Criteria marked "Added in WCAG 2.1" are new since WCAG 2.0. Criteria marked "Added in WCAG 2.2" are new since WCAG 2.1. Report the applicable level based on the WCAG version your product targets.

Criteria	Conformance Level	Remarks and Explanations
Principle 1 — Perceivable: Information and user interface components must be presentable to users in ways they can perceive.		
Guideline 1.1 — Text Alternatives: Provide text alternatives for any non-text content.		
1.1.1 Non-text Content	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)
Guideline 1.2 — Time-based Media: Provide alternatives for time-based media.		
1.2.1 Audio-only and Video-only (Prerecorded)	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)
1.2.2 Captions (Prerecorded)	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)
1.2.3 Audio Description or Media Alternative (Prerecorded)	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)
Guideline 1.3 — Adaptable: Create content that can be presented in different ways without losing information or structure.		
1.3.1 Info and Relationships	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)
1.3.2 Meaningful Sequence	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)
1.3.3 Sensory Characteristics	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe

Criteria	Conformance Level	Remarks and Explanations
		<i>exceptions + remediation timeline if possible)</i>
Guideline 1.4 — Distinguishable: Make it easier for users to see and hear content.		
1.4.1 Use of Color	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
1.4.2 Audio Control	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
Principle 2 — Operable: User interface components and navigation must be operable.		
Guideline 2.1 — Keyboard Accessible: Make all functionality available from a keyboard.		
2.1.1 Keyboard	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
2.1.2 No Keyboard Trap	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
2.1.4 Character Key Shortcuts Added in WCAG 2.1	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
Guideline 2.2 — Enough Time: Provide users enough time to read and use content.		
2.2.1 Timing Adjustable	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
2.2.2 Pause, Stop, Hide	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
Guideline 2.3 — Seizures and Physical Reactions: Do not design content in a way that is known to cause seizures or physical reactions.		
2.3.1 Three Flashes or Below Threshold	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
Guideline 2.4 — Navigable: Provide ways to help users navigate, find content, and determine where they are.		
2.4.1 Bypass Blocks	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe</i>

Criteria	Conformance Level	Remarks and Explanations
		<i>exceptions + remediation timeline if possible)</i>
2.4.2 Page Titled	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
2.4.3 Focus Order	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
2.4.4 Link Purpose (In Context)	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
Guideline 2.5 — Input Modalities: Make it easier for users to operate functionality through various inputs beyond keyboard.		
2.5.1 Pointer Gestures Added in WCAG 2.1	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
2.5.2 Pointer Cancellation Added in WCAG 2.1	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
2.5.3 Label in Name Added in WCAG 2.1	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
2.5.4 Motion Actuation Added in WCAG 2.1	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
Principle 3 — Understandable: Information and the operation of user interface must be understandable.		
Guideline 3.1 — Readable: Make text content readable and understandable.		
3.1.1 Language of Page	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
Guideline 3.2 — Predictable: Make web pages appear and operate in predictable ways.		
3.2.1 On Focus	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>

Criteria	Conformance Level	Remarks and Explanations
3.2.2 On Input	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)
3.2.6 Consistent Help Added in WCAG 2.2	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)
Guideline 3.3 — Input Assistance: Help users avoid and correct mistakes.		
3.3.1 Error Identification	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)
3.3.2 Labels or Instructions	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)
3.3.7 Redundant Entry Added in WCAG 2.2	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)
Principle 4 — Robust: Content must be robust enough to be interpreted by a wide variety of user agents, including assistive technologies.		
Guideline 4.1 — Compatible: Maximize compatibility with current and future user agents, including assistive technologies.		
4.1.1 Parsing (Obsolete) Removed/obsolete in WCAG 2.2. Always "Supports" for WCAG 2.0/2.1. Not applicable for WCAG 2.2.	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)
4.1.2 Name, Role, Value	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)

Table 2: Success Criteria — Level AA

Include all Level AA criteria in your assessment. For procurement purposes, WCAG 2.2 Level AA is the current baseline standard.

Criteria	Conformance Level	Remarks and Explanations
Principle 1 — Perceivable: Information and user interface components must be presentable to users in ways they can perceive.		
Guideline 1.2 — Time-based Media: Provide alternatives for time-based media.		

Criteria	Conformance Level	Remarks and Explanations
1.2.4 Captions (Live)	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)
1.2.5 Audio Description (Prerecorded)	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)
Guideline 1.3 — Adaptable: Create content that can be presented in different ways without losing information or structure.		
1.3.4 Orientation Added in WCAG 2.1	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)
1.3.5 Identify Input Purpose Added in WCAG 2.1	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)
Guideline 1.4 — Distinguishable: Make it easier for users to see and hear content.		
1.4.3 Contrast (Minimum)	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)
1.4.4 Resize Text	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)
1.4.5 Images of Text	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)
1.4.10 Reflow Added in WCAG 2.1	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)
1.4.11 Non-text Contrast Added in WCAG 2.1	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)
1.4.12 Text Spacing Added in WCAG 2.1	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)

Criteria	Conformance Level	Remarks and Explanations
1.4.13 Content on Hover or Focus Added in WCAG 2.1	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)
Principle 2 — Operable: User interface components and navigation must be operable.		
Guideline 2.4 — Navigable: Provide ways to help users navigate, find content, and determine where they are.		
2.4.5 Multiple Ways	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)
2.4.6 Headings and Labels	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)
2.4.7 Focus Visible	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)
2.4.11 Focus Not Obscured (Minimum) Added in WCAG 2.2	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)
Guideline 2.5 — Input Modalities: Make it easier for users to operate functionality through various inputs beyond keyboard.		
2.5.7 Dragging Movements Added in WCAG 2.2	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)
2.5.8 Target Size (Minimum) Added in WCAG 2.2	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)
Principle 3 — Understandable: Information and the operation of user interface must be understandable.		
Guideline 3.1 — Readable: Make text content readable and understandable.		
3.1.2 Language of Parts	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)
Guideline 3.2 — Predictable: Make web pages appear and operate in predictable ways.		
3.2.3 Consistent Navigation	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)

Criteria	Conformance Level	Remarks and Explanations
3.2.4 Consistent Identification	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)
Guideline 3.3 — Input Assistance: Help users avoid and correct mistakes.		
3.3.3 Error Suggestion	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)
3.3.4 Error Prevention (Legal, Financial, Data)	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)
3.3.8 Accessible Authentication (Minimum) Added in WCAG 2.2	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)
Principle 4 — Robust: Content must be robust enough to be interpreted by a wide variety of user agents, including assistive technologies.		
Guideline 4.1 — Compatible: Maximize compatibility with current and future user agents, including assistive technologies.		
4.1.3 Status Messages Added in WCAG 2.1	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)

Table 3: Success Criteria — Level AAA (Optional)

Level AAA conformance is not required for general conformance claims. Complete this table only if your product targets AAA conformance. Use "Not Evaluated" if a criterion has not been assessed.

Criteria	Conformance Level	Remarks and Explanations
Principle 1 — Perceivable		
1.2.6 Sign Language (Prerecorded)	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)
1.2.7 Extended Audio Description (Prerecorded)	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)
1.2.8 Media Alternative (Prerecorded)	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)

Criteria	Conformance Level	Remarks and Explanations
1.2.9 Audio-only (Live)	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
1.3.6 Identify Purpose Added in WCAG 2.1	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
1.4.6 Contrast (Enhanced)	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
1.4.7 Low or No Background Audio	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
1.4.8 Visual Presentation	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
1.4.9 Images of Text (No Exception)	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
Principle 2 — Operable		
2.1.3 Keyboard (No Exception)	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
2.2.3 No Timing	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
2.2.4 Interruptions	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
2.2.5 Re-authenticating	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
2.2.6 Timeouts Added in WCAG 2.1	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>

Criteria	Conformance Level	Remarks and Explanations
2.3.2 Three Flashes	Not Applicable ▾	Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)
2.3.3 Animation from Interactions Added in WCAG 2.1	Not Applicable ▾	Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)
2.4.8 Location	Not Applicable ▾	Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)
2.4.9 Link Purpose (Link Only)	Not Applicable ▾	Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)
2.4.10 Section Headings	Not Applicable ▾	Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)
2.4.12 Focus Not Obscured (Enhanced) Added in WCAG 2.2	Not Applicable ▾	Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)
2.4.13 Focus Appearance Added in WCAG 2.2	Not Applicable ▾	Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)
2.5.5 Target Size (Enhanced) Added in WCAG 2.1	Not Applicable ▾	Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)
2.5.6 Concurrent Input Mechanisms Added in WCAG 2.1	Not Applicable ▾	Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)
Principle 3 — Understandable		
3.1.3 Unusual Words	Not Applicable ▾	Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)
3.1.4 Abbreviations	Not Applicable ▾	Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)

Criteria	Conformance Level	Remarks and Explanations
3.1.5 Reading Level	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
3.1.6 Pronunciation	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
3.2.5 Change on Request	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
3.3.5 Help	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
3.3.6 Error Prevention (All)	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
3.3.9 Accessible Authentication (Enhanced) Added in WCAG 2.2	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
Principle 4 — Robust		
No Level AAA criteria defined under Principle 4.		

Section 2: Revised Section 508 Report

Note: When reporting on conformance with the Revised Section 508 standards, report only on:

- Hardware: Chapter 4 criteria
- Software: Chapter 5 criteria
- Support Documentation: Chapter 6 criteria

Web content and software conformance with WCAG is covered under Section 1. Do not duplicate web/WCAG criteria here.

Chapter 3 — Functional Performance Criteria

Functional Performance Criteria apply when there is no applicable technical criterion. They ensure the product can be used by people with various disabilities.

Criteria	Conformance Level	Remarks and Explanations
Chapter 3 — Functional Performance Criteria		
302.1 Without Vision	Not Applicable ▾	Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)
302.2 With Limited Vision	Not Applicable ▾	Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)
302.3 Without Perception of Color	Not Applicable ▾	Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)
302.4 Without Hearing	Not Applicable ▾	Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)
302.5 With Limited Hearing	Not Applicable ▾	Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)
302.6 Without Speech	Not Applicable ▾	Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)
302.7 With Limited Manipulation	Not Applicable ▾	Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)
302.8 With Limited Reach and Strength	Not Applicable ▾	Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)

Criteria	Conformance Level	Remarks and Explanations
302.9 With Limited Language, Cognitive, and Learning Abilities	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)

Chapter 4 — Hardware

Complete this chapter only if your product includes hardware components. If software/web-only, mark all criteria as "Not Applicable" with a brief note.

Criteria	Conformance Level	Remarks and Explanations
Chapter 4 — Hardware		
402 Closed Functionality	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)
403 Biometrics	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)
404 Preservation of Information Provided for Accessibility	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)
405 Privacy	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)
406 Standard Connections	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)
407 Operable Parts	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)
408 Display Screens	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)
409 Status Indicators	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)

Criteria	Conformance Level	Remarks and Explanations
410 Color Coding	Not Applicable ▾	Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)
411 Audible Signals	Not Applicable ▾	Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)
412 ICT with Two-Way Voice Communication	Not Applicable ▾	Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)
413 Closed Caption Processing Technologies	Not Applicable ▾	Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)
414 Audio Description Processing Technologies	Not Applicable ▾	Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)
415 User Controls for Captions and Audio Descriptions	Not Applicable ▾	Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)

Chapter 5 — Software

Criteria	Conformance Level	Remarks and Explanations
Chapter 5 — Software		
502.2.1 User Control of Accessibility Features	Not Applicable ▾	Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)
502.2.2 No Disruption of Accessibility Features	Not Applicable ▾	Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)
502.3 Accessibility Services	Not Applicable ▾	Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)
502.4 Platform Accessibility Features	Not Applicable ▾	Column must be populated for every row (especially “Partially Supports”, describe

Criteria	Conformance Level	Remarks and Explanations
		<i>exceptions + remediation timeline if possible)</i>
503.2 User Preferences	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
503.3 Alternative User Interfaces	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
503.4.1 Caption Controls	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
503.4.2 Audio Description Controls	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>

Chapter 6 — Support Documentation and Services

Criteria	Conformance Level	Remarks and Explanations
Chapter 6 — Support Documentation and Services		
602.2 Accessibility and Compatibility Features	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
602.3 Electronic Support Documentation	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
602.4 Alternate Formats for Non-Electronic Support Documentation	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
603.2 Information on Accessibility and Compatibility Features	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
603.3 Accommodation of Communication Needs	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>

Section 3: EN 301 549 Report

EN 301 549 v3.2.1 is the European standard for ICT accessibility requirements. Chapter 9 (Web content) incorporates WCAG 2.1 and is covered in Section 1 of this report. Do not duplicate WCAG web criteria here.

Criteria	Conformance Level	Remarks and Explanations
Chapter 4 — Functional Performance Statements (4.2)		
4.2.1 Usage without vision	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
4.2.2 Usage with limited vision	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
4.2.3 Usage without perception of colour	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
4.2.4 Usage without hearing	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
4.2.5 Usage with limited hearing	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
4.2.6 Usage without vocal capability	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
4.2.7 Usage with limited manipulation or strength	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
4.2.8 Usage with limited reach	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
4.2.9 Minimize photosensitive seizure triggers	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
4.2.10 Usage with limited cognition	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>

Criteria	Conformance Level	Remarks and Explanations
4.2.11 Privacy	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
Chapter 5 — Generic Requirements		
5.2 Activation of accessibility features	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
5.3 Biometrics	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
5.4 Preservation of accessibility information during conversion	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
5.5.1 Means of operation	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
5.5.2 Operable parts discernibility	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
5.6.1 Tactile or auditory status	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
5.6.2 Visual status	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
5.7 Key repeat	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
5.8 Double-strike key acceptance	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
5.9 Simultaneous user actions	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>

Criteria	Conformance Level	Remarks and Explanations
Chapter 6 — ICT with Two-Way Voice Communication		
6.1 Audio bandwidth for speech	Not Applicable ▾	Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)
6.2.1.1 RTT communication	Not Applicable ▾	Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)
6.2.1.2 Concurrent voice and text	Not Applicable ▾	Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)
6.2.2.1 Visually distinguishable display	Not Applicable ▾	Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)
6.2.2.2 Programmatically determinable send and receive direction	Not Applicable ▾	Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)
6.2.3 Caller ID	Not Applicable ▾	Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)
6.2.4 RTT responsiveness	Not Applicable ▾	Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)
6.3 Caller ID	Not Applicable ▾	Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)
6.4 Alternatives to voice-based services	Not Applicable ▾	Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)
6.5.2 Resolution	Not Applicable ▾	Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)
6.5.3 Frame rate	Not Applicable ▾	Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)

Criteria	Conformance Level	Remarks and Explanations
6.5.4 Synchronization between audio and video	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
6.5.5 Visual indicator of audio with video	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
6.5.6 Speaker identification with video RTT	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
6.6 Alternatives to video-based services	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
Chapter 7 — ICT with Video Capabilities		
7.1.1 Captioning playback	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
7.1.2 Captioning synchronization	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
7.1.3 Preservation of captioning	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
7.1.4 Captions characteristics	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
7.1.5 Spoken subtitles	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
7.2.1 Audio description playback	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
7.2.2 Audio description synchronization	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>

Criteria	Conformance Level	Remarks and Explanations
7.2.3 Preservation of audio description	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
7.3 User controls for captions and audio description	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
Chapter 11 — Software		
11.1.1.1 Non-text Content (A) See WCAG 2.x report – Table 1	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
11.1.3.1 Info and Relationships (A) See WCAG 2.x report – Table 1	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
11.1.3.3 Sensory Characteristics (A) See WCAG 2.x report – Table 1	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
11.1.3.4 Orientation (AA) See WCAG 2.x report – Table 2	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
11.1.3.5 Identify Input Purpose (AA) See WCAG 2.x report – Table 2	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
11.1.4.1 Use of Color (A) See WCAG 2.x report – Table 1	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
11.1.4.2 Audio Control (A) See WCAG 2.x report – Table 1	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
11.1.4.3 Contrast (Minimum) (AA) See WCAG 2.x report – Table 2	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
11.1.4.4 Resize Text (AA) See WCAG 2.x report – Table 2	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>

Criteria	Conformance Level	Remarks and Explanations
11.1.4.5 Images of Text (AA) See WCAG 2.x report – Table 2	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
11.1.4.10 Reflow (AA) See WCAG 2.x report – Table 2	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
11.1.4.11 Non-text Contrast (AA) See WCAG 2.x report – Table 2	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
11.1.4.12 Text Spacing (AA) See WCAG 2.x report – Table 2	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
11.1.4.13 Content on Hover or Focus (AA) See WCAG 2.x report – Table 2	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
11.2.1.1 Keyboard (A) See WCAG 2.x report – Table 1	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
11.2.1.2 No Keyboard Trap (A) See WCAG 2.x report – Table 1	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
11.2.1.4 Character Key Shortcuts (A) See WCAG 2.x report – Table 1	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
11.2.2.1 Timing Adjustable (A) See WCAG 2.x report – Table 1	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
11.2.2.2 Pause, Stop, Hide (A) See WCAG 2.x report – Table 1	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
11.2.3.1 Three Flashes or Below Threshold (A) See WCAG 2.x report – Table 1	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>

Criteria	Conformance Level	Remarks and Explanations
11.2.4.3 Focus Order (A) See WCAG 2.x report – Table 1	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
11.2.4.4 Link Purpose (In Context) (A) See WCAG 2.x report – Table 1	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
11.2.4.6 Headings and Labels (AA) See WCAG 2.x report – Table 2	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
11.2.4.7 Focus Visible (AA) See WCAG 2.x report – Table 2	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
11.2.4.11 Focus Not Obscured – Min (AA) See WCAG 2.x report – Table 2	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
11.2.5.1 Pointer Gestures (A) See WCAG 2.x report – Table 1	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
11.2.5.2 Pointer Cancellation (A) See WCAG 2.x report – Table 1	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
11.2.5.3 Label in Name (A) See WCAG 2.x report – Table 1	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
11.2.5.4 Motion Actuation (A) See WCAG 2.x report – Table 1	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
11.2.5.7 Dragging Movements (AA) See WCAG 2.x report – Table 2	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
11.2.5.8 Target Size (Minimum) (AA) See WCAG 2.x report – Table 2	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>

Criteria	Conformance Level	Remarks and Explanations
11.3.1.1 Language of Page (A) See WCAG 2.x report – Table 1	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
11.3.2.1 On Focus (A) See WCAG 2.x report – Table 1	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
11.3.2.2 On Input (A) See WCAG 2.x report – Table 1	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
11.3.2.3 Consistent Navigation (AA) See WCAG 2.x report – Table 2	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
11.3.2.4 Consistent Identification (AA) See WCAG 2.x report – Table 2	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
11.3.2.6 Consistent Help (A) See WCAG 2.x report – Table 1	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
11.3.3.1 Error Identification (A) See WCAG 2.x report – Table 1	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
11.3.3.2 Labels or Instructions (A) See WCAG 2.x report – Table 1	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
11.3.3.3 Error Suggestion (AA) See WCAG 2.x report – Table 2	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
11.3.3.4 Error Prevention (AA) See WCAG 2.x report – Table 2	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
11.3.3.7 Redundant Entry (A) See WCAG 2.x report – Table 1	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>

Criteria	Conformance Level	Remarks and Explanations
11.3.3.8 Accessible Authentication (AA) See WCAG 2.x report – Table 2	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
11.4.1.1 Parsing (A) See WCAG 2.x report – Table 1	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
11.4.1.2 Name, Role, Value (A) See WCAG 2.x report – Table 1	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
11.4.1.3 Status Messages (AA) See WCAG 2.x report – Table 2	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
11.5.1 Closed functionality	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
11.5.2.3 Use of accessibility services	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
11.5.2.5 Object information	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
11.5.2.6 Row, column, and headers	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
11.5.2.7 Values	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
11.5.2.8 Label relationships	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>
11.5.2.9 Parent-child relationships	Not Applicable ▾	<i>Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)</i>

Criteria	Conformance Level	Remarks and Explanations
11.5.2.10 Text	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)
11.5.2.11 List of available actions	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)
11.5.2.12 Execution of available actions	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)
11.5.2.13 Tracking of focus and selection attributes	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)
11.5.2.14 Modification of focus and selection attributes	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)
11.5.2.15 Change notification	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)
11.5.2.16 Modifications of states and properties	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)
11.5.2.17 Modifications of values and text	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)
11.6.2 No disruption of accessibility features	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)
11.7 User preferences	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)
11.8.2 Accessible content creation	Not Applicable ▾	Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)

Criteria	Conformance Level	Remarks and Explanations
11.8.3 Preservation of accessibility information in transformations	Not Applicable ▾	Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)
11.8.4 Repair assistance	Not Applicable ▾	Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)
11.8.5 Templates	Not Applicable ▾	Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)
Chapter 12 — Documentation and Support Services		
12.1.1 Accessibility and compatibility features	Not Applicable ▾	Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)
12.1.2 Accessible documentation	Not Applicable ▾	Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)
12.2.2 Information on accessibility and compatibility features	Not Applicable ▾	Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)
12.2.3 Effective communication	Not Applicable ▾	Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)
12.2.4 Accessible support documentation	Not Applicable ▾	Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)
Chapter 13 — ICT Providing Relay or Emergency Service Access		
13.1.2 Text-based services	Not Applicable ▾	Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)
13.1.3 Sign language services	Not Applicable ▾	Column must be populated for every row (especially “Partially Supports”, describe exceptions + remediation timeline if possible)
13.1.4 Lip-reading services	Not Applicable ▾	Column must be populated for every row (especially “Partially Supports”, describe

Criteria	Conformance Level	Remarks and Explanations
		<i>exceptions + remediation timeline if possible)</i>
13.1.5 Captioning services	Not Applicable ▾	<i>Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)</i>
13.1.6 Speech-to-speech services	Not Applicable ▾	<i>Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)</i>
13.2 Access to relay services	Not Applicable ▾	<i>Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)</i>
13.3 Access to emergency services	Not Applicable ▾	<i>Column must be populated for every row (especially "Partially Supports", describe exceptions + remediation timeline if possible)</i>

Need a professionally prepared VPAT/ACR?

A11ySolutions prepares Accessibility Conformance Reports based on expert accessibility testing with real assistive technologies. Our VPATs are procurement-ready, defensible, and aligned to WCAG 2.2, Revised Section 508, and EN 301 549.

520+ audits delivered • 180+ VPATs and accessibility statements • 110+ enterprise clients

www.a11ysolutions.com/vpat-acr • a11ycontact@a11ysolutions.com

"Voluntary Product Accessibility Template" and "VPAT" are registered service marks of the Information Technology Industry Council (ITI).